Kennedy NASA Policy Directive

Effective Date: April 4, 2008

Expiration Date: April 4, 2013

Responsible Office: Center Operations

KSC HAZARD COMMUNICATION PROGRAM

National Aeronautics and Space Administration

John F. Kennedy Space Center

1. POLICY

It is Kennedy Space Center (KSC) policy to provide a workplace free from hazards that may cause illness, physical harm, or death. To assure such protection, KSC shall maintain a hazard communication program to assure employees are provided the necessary information to work safely with hazardous materials. KSC shall comply with Occupational Safety and Health Administration (OSHA) hazard communication standards and shall manage and operate a comprehensive program to communicate hazard information, train the workforce in the safe usage of hazardous materials, disseminate Material Safety Data Sheet (MSDS) information, and assure the proper labeling of hazardous substances.

2. APPLICABILITY

This Policy Directive applies to all National Aeronautics and Space Administration (NASA) organizations and civil service employees wherever KSC has a defined management responsibility, including the Cape Canaveral Air Force Station, Patrick Air Force Base, Vandenberg Air Force Base, and secondary and contingency landing sites, and to their associated contractors and tenants in accordance with the provisions of their respective contracts. This Policy is not intended to relieve contractors of their obligations under the OSHA.

3. AUTHORITY

- a. NPD 1820.1, NASA Environmental Health Program
- b. 29 CFR 1910.1200, OSHA Hazard Communication Standard
- c. 29 CFR 1910.1450, Hazard Communication in Laboratories
- d. 29 CFR 1926.59, Hazard Communication
- e. 29 CFR 1960, Federal Agency Occupational Safety and Health Programs

4. APPLICABLE DOCUMENTS

- a. KNPD 1800.1, Environmental Health Program
- b. <u>Federal Acquisition Regulation (FAR)</u> 23.3, Hazardous Materials Identification and Material Safety Data
- c. FED STD 313C, Material Safety Data, Transportation Data and Disposal Data Furnished to Government Activities
- d. ANSI Z129.1-2000, American National Standard for Precautionary Labeling of Hazardous Industrial Chemicals

5. RESPONSIBILITY

- a. The Director, Center Operations, is responsible for:
- (1) Developing and managing this KNPD; developing and maintaining a database of information on hazardous materials; and providing related medical, environmental, and toxicological data.
- (2) Evaluating hazards associated with the use of toxic chemicals.
- (3) Supporting and directing management of MSDSs for NASA at KSC.
- (4) Providing medical and environmental health support.
- (5) Providing toxicity and toxicology data on toxic chemicals.
- (6) Determining those hazardous substances to be restricted with regard to procurement and disposition.
- (7) Designating a point of contact to coordinate the resolution of issues involving the implementation of this program.
- (8) Determining and updating the content of any required training and providing it to the organization providing the training.
- b. The Directors, Launch Vehicle Processing, Center Operations, International Space Station and Spacecraft Processing, Constellation Project Office, and Manager, Launch Services Program are responsible for:
- (1) Ensuring the development of logistics systems to manage the receipt, distribution, and disposal of hazardous materials and for implementing procedures to accomplish the requirements of this Policy Directive.
- (2) Ensuring proper labeling of incoming hazardous substances.
- (a) OSHA requires that the manufacturers, formulators, and importers of hazardous materials provide proper labeling of any containers shipped to downstream users. OSHA also requires that if a material is transferred from the original container into another container, the new container must have an appropriate label. NASA tenants, contractors, and civil service organizations are responsible for ensuring the proper labeling of containers under their control.
- (b) Where a NASA contractor is a manufacturer or formulator as defined in 29 <u>CFR</u> 1910.1200, container labels or placards shall be prepared in accordance with ANSI Z129.1-2000.
- (3) Acquiring MSDSs for items identified in Federal Standard 313C or otherwise listed in Appendix D.
- (4) Ensuring hazardous materials are maintained and distributed in compliance with 29 CFR 1910.1200.

- (5) Providing Hazard Communication information to purchasers/downstream users of excess property.
- (6) Determining those hazardous substances to be restricted with regard to procurement and disposition.
- (7) Ensuring tenant organizations who are provided laboratory use for pre- and post-flight processing operations have a written Chemical Hygiene Plan, when required by 29 CFR 1910.1450.
- (8) Ensuring payload customers submit MSDSs to the Launch Site Support Office at least 60 days prior to the arrival of the hazardous materials at KSC. The payload customers must ensure that MSDSs are available at the KSC locations where the hazardous materials are used. Payload customers are not required to submit MSDSs for hazardous materials supplied by NASA-KSC for KSC tenant contractors.
- c. The Director, Procurement Office, is responsible for incorporating proper contractual controls in procurements where hazardous substances are identified in accordance with FAR 23.3.
- d. The Director, Engineering Directorate, and the Director, Applied Technology Directorate, are responsible for developing and managing Chemical Hygiene Plans for NASA civil service laboratory employees, as required by 29 CFR 1910.1450.
- e. The Chief Counsel is responsible for providing legal advice with regard to liability, applicability, and jurisdictional matters.
- f. The Director, Human Resources, is responsible for providing hazard communication program training to Government employees.
- g. The Chief, Media Services Division, is responsible for coordinating release of hazardous substances information to the public and local community.
- h. NASA-KSC Directors are responsible for:
- (1) Assisting in the determination, coordination, and communication of hazardous substances information and procedures.
- (2) Ensuring hazard communication information is incorporated into operating procedures.
- i. All KSC civil service supervisors are responsible for:
- (1) Identifying employees who use or may otherwise be exposed to hazardous materials identified in Attachment B of this KNPD.
- (2) Providing access to MSDSs for those hazardous materials.
- (a) Work area supervisors are responsible for ensuring NASA employees have access to the MSDS for any hazardous material in an employee's assigned work areas. OSHA regulations require that every employee have "prompt access" to these MSDSs. To

meet this requirement, MSDSs for hazardous materials used by NASA and NASA contractors are available online on the KSC MSDS Archive located at http://msds/. The archive is accessible from any networked computer workstation at KSC equipped with an Internet browser. If an employee does not have access to a networked computer workstation, it is the responsibility of the work area supervisor to provide an alternate means to provide requested MSDSs to employees, such as maintenance of a binder with MSDSs of materials used at that work location. Supervisors are responsible for ensuring that access to the MSDS Archive or other MSDS information is available for use by employees at any time they are in the work area.

- (b) In some work areas, NASA employees may be required to work in the vicinity of contractor operations in which hazardous materials are being used. NASA employees may review the MSDSs for these materials by either accessing the KSC MSDS Archive or by requesting the MSDS from the contractor organization responsible for the operation.
- (c) Occasionally materials are received at KSC with an MSDS that may be illegible or incomplete. If this occurs, please notify the KSC MSDS Coordinator at 867-7797 so that the problem can be corrected Center-wide.
- (d) An MSDS may identify safety measures that seem inappropriate for the chemical's use (manufacturers often recommend protective measures based on worst-case use conditions) or require safety measures that are not available. If this occurs, the work area supervisor (or designee) may request clarification on appropriate protective measures by contacting the Environmental Health Office at 867-2400.
- (e) Supervisors of NASA shops and labs are responsible for ensuring the availability and currency of MSDSs for hazardous materials ordered for their organization. Where an MSDS of a hazardous material is not available in the KSC MSDS Archive, the work area supervisor or designee is responsible for coordinating with the KSC MSDS Coordinator to obtain the MSDS and have it added to the Archive for Center-wide use.
- (3) Reviewing the hazards associated with those materials with their employees.
- (4) Ensuring appropriate hazard communications training is included as a part of the employee's training plan.
- (a) All employees are required to have hazard communication training upon job placement and every two years thereafter. Required training will depend on assigned duties and work location.
- (b) NASA employees assigned to work in, or requiring regular access to, NASA shops and labs, who work in contractor-operated facilities where chemicals are used, or who may otherwise be required to use hazardous materials in the course of their work are required to complete "KSC Hazard Communication Training (Chemical Users)" on the NASA SATERN Web site.
- (c) All other NASA employees, including clerical and administrative staff that may have only incidental contact with hazardous materials or work in areas where hazardous materials are used or stored, are required to complete "KSC Hazard Communication Training (Office Workers)" on the <u>NASA SATERN Web site</u>.

- (5) Ensuring compliance with safe use provisions identified on the MSDS or otherwise required by KSC fire, safety, or environmental health organizations.
- (6) Ensuring hazardous materials are kept in manufacturer's labeled containers, or when transferred, kept in containers meeting the labeling requirements of 29 <u>CFR</u> 1910.1200.
- (a) In NASA-operated shops and labs, the work area supervision is responsible for ensuring that all containers of hazardous materials in their area have adequate labeling. If labels on existing containers are missing or illegible, replacement labeling must be obtained and applied to the container. Requirements for labeling containers of chemicals used in laboratories are found in 29 CFR 1910.1450. These labeling requirements must be addressed in the laboratory Chemical Hygiene Plan.

Note: If you need assistance in replacing inadequate, damaged, or missing labels, notify the appropriate contractor or tenant safety organization or the KSC Industrial Hygiene Officer at 867-6342.

- j. All KSC civil service employees are responsible for:
- (1) Becoming familiar with the hazard information provided on the MSDSs for hazardous materials with which they work or to which they otherwise may be exposed.
- (2) Taking necessary precautions, including use of protective equipment and following safe work practices and procedures, when working with or around hazardous materials.
- (3) Reporting all potential problems regarding hazardous substance usage to their immediate supervisors.

6. SUPERSESSION

This revision supersedes KNPD 1800.2, Rev. A-1, KSC Hazard Communication Program.

Original signed by Janet E. Petro for W. W. Parsons
Director

Attachments:

A. Definitions

B. Commodities Which May Contain Hazardous Chemicals

Distribution: Tech Doc Library

Attachment A. Definitions

- 1. Container: Any bag, barrel, bottle, box, can, cylinder, drum, reaction vessel, storage tank, or chemical transfer pipe that contains a hazardous chemical. Engines, fuel tanks, or other operating systems in vehicles are not considered containers.
- 2. Hazardous Substance: Any chemical which is a physical or a health hazard. These substances may consist of pure chemicals or mixtures of chemicals.
- 3. Health Hazard (per 29 CFR 1910.1200): A chemical for which there is statistically significant evidence, based on at least one study conducted in accordance with established scientific principles, that acute or chronic health effects may occur in exposed employees. The term "health hazard" includes chemicals which are carcinogens, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, hepatotoxins, nephrotoxins, and neurotoxins, agents which act on the hematopoietic system and agents which damage the lungs, skin, eyes, or mucous membranes. Appendix A of the regulation (29 CFR 1910.1200), provides further definitions and explanations of the scope of Health Hazards covered by this section, and Appendix B describes the criteria to be used to determine whether or not a chemical is to be considered hazardous for the purposes of this standard.
- 4. Physical Hazard (per 29 <u>CFR</u> 1910.1200): A chemical for which there is scientifically valid evidence that it is a combustible liquid, a compressed gas, an explosive, flammable, an organic peroxide, an oxidizer, pyrophoric, unstable (reactive), or water reactive.

Attachment B. Commodities which may contain hazardous chemicals

| Abrasives | Laboratory Reagents |
|------------------------------|----------------------------|
| Acids | Lubricants |
| Adhesives | Metal Powder |
| Antifoaming Agents | Metal Salts |
| | |
| Antifreeze Agents | Metal Stock |
| Anti-oxidants | Oils |
| Asphalts | Oxidizers |
| Batteries | Paints |
| Bleaches | Paint Removers |
| Catalysts | Pesticides |
| Caustics | Photocopy Chemicals |
| Chelating Agents | Photographic Chemicals |
| Cleaning Agents | Pigments |
| Compressed Gases | Plasters |
| Concrete Mixes | Plasticizers |
| Corrosion Inhibitors | Plastic Resins |
| Cryogenic Liquids | Polishes |
| Curing Agents | Preservative Chemicals |
| Degreasing Agents | Propellants |
| Desiccants | Protective Coatings |
| Dyes | Refrigerants |
| Electroplating Chemicals | Rust Removers |
| Emulsifying Agents | Sanitizing Agents |
| Explosives | Scrap Metal |
| Fertilizers | Sealants |
| Fire Extinguishing Chemicals | Solders |
| Fire Retardant Chemicals | Solder Fluxes |
| Foaming Agents | Solvents |
| Fuels | Sterilizing Agents |
| Fumigants | Tars |
| Fungicides | Thermal Insulation |
| Galvanizing Agents | Vulcanizing Agents |
| Glues | Waterproofing Agents |
| Heat Transfer Fluids | Water Treatment Chemicals |
| Herbicides | Waxes |
| Hydraulic Fluids | Welding fluxes |
| Hypergolic Chemicals | Welding Rods |
| Inks | Wood Preservatives |
| IIIIO | WOOd I ICSCIVATIVES |
| Excepted Items | |
| Cosmetics | Office Supplies |
| Prescription Drugs | Personal Consumer Products |
| Foods | |
| | |
| | |

Note: This exclusion applies only to those items that do not expose employees to hazards under their normal conditions of use. The exclusion does not apply when these items are used in large quantities or when used in repetitive operations in such a manner to create a hazard to the user.